Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.01.2022 *Version number 3.0 (replaces version 2.0)* *Revision: 24.01.2022*

*
SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture**
Only for proper handling.
Engine oil

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**

MOTOREX AG
Bern–Zürich–Strasse 31, Postfach
CH–4901 Langenthal
Tel. +41 (0)62 919 75 75
www.motorex.com

· **Further information obtainable from:** msds@motorex.com
· **1.4 Emergency telephone number:**
In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
· **Hazard pictograms** Void
· **Signal word** Void
· **Hazard statements**
H412 Harmful to aquatic life with long lasting effects.
· **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
· **Additional information:**
Contains maleic anhydride, Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. Para-, calcium salts. May produce an allergic reaction.
· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

*
SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2

(Contd. of page 1)

· **Dangerous components:**

	Mineral oils (mixture) Asp. Tox. 1, H304	≥2.5-≤7.5%
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27	White mineral oil (petroleum) Asp. Tox. 1, H304	≥0.1-≤2.5%
CAS: 84605-29-8 EINECS: 283-392-8 Reg.nr.: 01-2119493626-26	Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315 Specific concentration limits: Eye Dam. 1; H318: C ≥ 12.5 % Eye Irrit. 2; H319: 12.5 % ≤ C < 12.5 %	≥0.25-<2.5%
EC number: 947-519-7	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. Para-, calcium salts Skin Sens. 1B, H317	0.1-0.25%
CAS: 121158-58-5 EC number: 310-154-3 Index number: 604-092-00-9 Reg.nr.: 01-2119513207-49	phenol, dodecyl-, branched Repr. 1A, H360F; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	≥0.0025-<0.025%
CAS: 108-31-6 EINECS: 203-571-6 Index number: 607-096-00-9	maleic anhydride Resp. Sens. 1, H334; STOT RE 1, H372; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.001 %	≥0-<0.001%

· **Additional information:**
Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.
For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:**
Remove residues with soap and water.
Remove contaminated clothing immediately.
· **After eye contact:**
Rinse opened eye for several minutes under running water.
Consult a physician if irritation develops.
· **After swallowing:**
Do not induce vomitting. Do not take in resorption stimulating agents.
Consult a physician who will decide on need and method of emptying the stomach.
· **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2

(Contd. of page 2)

· **5.2 Special hazards arising from the substance or mixture**
In case of fire carbon, sulphur and phosphorus oxides can be formed.
· **5.3 Advice for firefighters**
· **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
· **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
· **6.4 Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*
SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap.
· **Information about fire - and explosion protection:** Do not heat above flash point.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:**
The recommended storage temperature is (deg.C): ≤50°C
Store containers closed and protect against rain, dust, heat and other atmospheric influences.
· **Storage class:** 10
· **7.3 Specific end use(s)** No further relevant information available.

*
SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**	
108-31-6 maleic anhydride	
WEL	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ Sen

· **DNELs**		
8042-47-5 White mineral oil (petroleum)		
Dermal	DNEL / Workers / Systemic effects / Long-term	220 mg/kg/24h (worker)
Inhalative	DNEL / Workers / Systemic effects / Long-term	160 mg/m3 (worker)
84605-29-8 Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts		
Oral	DNEL/general population/Systemic effects/Long-term	0.24 mg/kg/24h (consumer)

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2

(Contd. of page 3)

Dermal	DNEL / Workers / Systemic effects / Long-term	12.1 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	6.1 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	8.31 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	2.11 mg/m3 (consumer)
121158-58-5 phenol, dodecyl-, branched		
Oral	DNEL/general population/Systemic effects/Long-term	0.075 mg/kg/24h (consumer)
	DNEL/general pop/Systemic effects/acute-short term	1.26 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	0.25 mg/kg/24h (worker)
	DNEL/Workers/Systemic effects/acute-short term	166 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	0.075 mg/kg/24h (consumer)
	DNEL/general pop/Systemic effects/acute-short term	50 mg/kg/24h (consumer)
Inhalative	DNEL/Workers/Systemic effects/acute-short term	44.18 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	0.79 mg/m3 (consumer)
	DNEL/general pop/Systemic effects/acute-short term	13.26 mg/m3 (consumer)

· **PNECs**

84605-29-8 Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts

Oral	PNEC / Predators / Secondary poisoning	10.67 mg/kg food (secondary poisoning (predators))
	PNEC / Aquatic organisms / Freshwater	0.004 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Marine water	0.0046 mg/l (aquatic organisms)
	PNEC/Aquatic org/intermittent releases(freshwater)	0.045 mg/l (aquatic organisms)
	PNEC/Aquatic organisms/Sewage treatment plant/STP	100 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (freshwater)	0.02203 mg/kg (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (marine water)	0.002203 mg/kg (aquatic organisms)
	PNEC / Terrestrial organism / Soil	0.00206 mg/kg (terrestrial organisms)

121158-58-5 phenol, dodecyl-, branched

Oral	PNEC / Predators / Secondary poisoning	4 mg/kg food (secondary poisoning (predators))
	PNEC / Aquatic organisms / Freshwater	0.000074 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Marine water	0.0000074 mg/l (aquatic organisms)
	PNEC/Aquatic org/intermittent releases(freshwater)	0.00037 mg/l (aquatic organisms)
	PNEC/Aquatic organisms/Sewage treatment plant/STP	100 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (freshwater)	0.226 mg/kg (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (marine water)	0.0266 mg/kg (aquatic organisms)
	PNEC / Terrestrial organism / Soil	0.118 mg/kg (terrestrial organisms)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2

(Contd. of page 4)

· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
· **Respiratory protection:**
Not necessary if room is well-ventilated.
Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.
· **Hand protection**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye/face protection** Goggles recommended during refilling
· **Body protection:** Protective work clothing

*
SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Fluid
· **Colour:**	Brown
· **Odour:**	Characteristic
· **Odour threshold:**	Not determined.
· **Melting point/freezing point:**	Undetermined.
· **Boiling point or initial boiling point and boiling range**	Undetermined.
· **Flammability**	Not applicable.
· **Lower and upper explosion limit**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Flash point:**	>200 °C
· **Auto-ignition temperature:**	Product is not selfigniting.
· **Decomposition temperature:**	Not determined.
· **pH**	Not determined.
· **Viscosity:**	
· **Kinematic viscosity**	167 mm²/s @ 40 °C
· **Consistency**	
· **Dynamic:**	Not determined.
· **Solubility**	
· **water:**	Not miscible or difficult to mix.
· **Partition coefficient n-octanol/water (log value)**	Not determined.
· **Heat Capacity**	
· **Vapour pressure:**	< 0.1 hPa (20°C)
· **Density and/or relative density**	
· **Density at 20 °C:**	0.863 g/cm³ (ASTM D 4052)
· **Relative density**	Not determined.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.01.2022 Version number 3.0 (replaces version 2.0) Revision: 24.01.2022

Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2

(Contd. of page 5)

· **Vapour density**	Not determined.
· **9.2 Other information**	
· **Appearance:**	
· **Form:**	Fluid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	255 °C (DIN 51794)
· **Explosive properties:**	Product does not present an explosion hazard.
· **Solvent separation test:**	
· **VOC (EC)**	0.00 %
· **Change in condition**	
· **Evaporation rate**	Not determined.
· **Information with regard to physical hazard classes**	
· **Explosives**	Void
· **Flammable gases**	Void
· **Aerosols**	Void
· **Oxidising gases**	Void
· **Gases under pressure**	Void
· **Flammable liquids**	Void
· **Flammable solids**	Void
· **Self-reactive substances and mixtures**	Void
· **Pyrophoric liquids**	Void
· **Pyrophoric solids**	Void
· **Self-heating substances and mixtures**	Void
· **Substances and mixtures, which emit flammable gases in contact with water**	Void
· **Oxidising liquids**	Void
· **Oxidising solids**	Void
· **Organic peroxides**	Void
· **Corrosive to metals**	Void
· **Desensitised explosives**	Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

*

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity**

· **LD/LC50 values relevant for classification:**		
8042-47-5 White mineral oil (petroleum)		
Oral	LD50	5,000 mg/kg (rat)
	NOEL	20-20,000 ppm (rat)

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.01.2022 Version number 3.0 (replaces version 2.0) Revision: 24.01.2022

Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2

(Contd. of page 6)

	NOAEL	1,200 mg/kg/24h (rat)
	NOAEL	20,000 ppm (rat)
	LOEL	20-2,000 ppm (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
	NOAEL	125-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
Inhalative	LC50 / 4h	5 mg/l (rat)
	NOEL	50 mg/m3 (rat)
	LOEL	210 mg/m3 (rat)
84605-29-8 Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts		
Oral	NOEL	40 mg/kg/24h (rat)
	NOAEL	160 mg/kg/24h (rat)
Dermal	LD50	2,002 mg/kg (rat)
Inhalative	LC50 / 4h	2.3 mg/l (rat)
121158-58-5 phenol, dodecyl-, branched		
Oral	LD50	2,100-2,200 mg/kg (rat)
	NOEL	5-50 mg/kg/24h (rat)
	NOAEL	60-100 mg/kg/24h (rat)
Dermal	LD50	15,000 mg/kg (rabbit)
108-31-6 maleic anhydride		
Oral	LD50	400 mg/kg (rat)
Dermal	LD50	2,620 mg/kg (rabbit)

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**		
121158-58-5	phenol, dodecyl-, branched	List I, II

*

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
8042-47-5 White mineral oil (petroleum)	
LL50	100 mg/l/48h (aquatic invertebrates)
84605-29-8 Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts	
LOEC	0.8 mg/l/21d (aquatic invertebrates)
LC50	46 mg/l/96h (fish)
EC50	10,000 mg/l/3h (microorganisms)
LL50	4.5 mg/l/96h (fish)
EL50	23 mg/l/48h (aquatic invertebrates)
EL50	21-24 mg/l/72h (algae / cyanobacteria)
NOEC	0.4-0.8 mg/l/21d (aquatic invertebrates)
NOELR	1.8 mg/l/96h (fish)
NOELR	10 mg/l/48h (aquatic invertebrates)
Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. Para-, calcium salts	
LC50	>1,000 mg/l/96h (Pimephales promelas)

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.01.2022 Version number 3.0 (replaces version 2.0) Revision: 24.01.2022

Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2

(Contd. of page 7)

	>100 mg/l/96h (rainbow trout)
EC50	>1,000 mg/l/96h (Alga)
121158-58-5 phenol, dodecyl-, branched	
EC50	1,000 mg/l/3h (microorganisms)
EC50	0.106 mg/l/24h (aquatic invertebrates)
EC10	0.53-0.765 mg/l/72h (algae / cyanobacteria)
EC50	0.15-0.765 mg/l/72h (algae / cyanobacteria)
EC50	0.0079-0.0086 mg/l/21d (aquatic invertebrates)
EC100	160 mg/l/48h (aquatic invertebrates)
EC0	0.056 mg/l/48h (aquatic invertebrates)
EC50	0.037-0.0927 mg/l/48h (aquatic invertebrates)
EL50	40 mg/l/96h (fish)
NOEC	0.0037 mg/l/21d (aquatic invertebrates)
NOEC	0.07-0.442 mg/l/72h (algae / cyanobacteria)
NOEC	0.011 mg/l/48h (aquatic invertebrates)
NOEC	1,000 mg/l/3h (microorganisms)
NOELR	25 mg/l/96h (fish)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential**	
84605-29-8 Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts	
Partition coefficient	0.56 [---] (log Kow) (Bioaccumulation)
121158-58-5 phenol, dodecyl-, branched	
Partition coefficient	6.1-7.14 [---] (log Kow) (Bioaccumulation)
Biodegradability	<10 % (28d) (Biodegradability) (OECD 302 D)

· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties**
For information on endocrine disrupting properties see section 11.
· **12.7 Other adverse effects**
· **Remark:** Harmful to fish
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Harmful to aquatic organisms

*
SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Contact waste processors for recycling information.
Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2

(Contd. of page 8)

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN number or ID number** · **ADR/RID/ADN, ADN, IMDG, IATA**	Void
· **14.2 UN proper shipping name** · **ADR/RID/ADN, ADN, IMDG, IATA**	Void
· **14.3 Transport hazard class(es)** · **ADR/RID/ADN, ADN, IMDG, IATA** · **Class**	Void
· **14.4 Packing group** · **ADR/RID/ADN, IMDG, IATA**	Void
· **14.5 Environmental hazards:** · **Marine pollutant:**	No
· **14.6 Special precautions for user**	Not applicable.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **UN "Model Regulation":**	Void

*
SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

*
SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.
No special training instructions to ensure protection of human health and environment are required.

· **purity requirement**
· **Relevant phrases**
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H360F May damage fertility.
H372 Causes damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.01.2022 Version number 3.0 (replaces version 2.0) Revision: 24.01.2022

Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2

(Contd. of page 9)

H411 Toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** Abteilung Produktsicherheit
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Skin Sens. 1B: Skin sensitisation – Category 1B
Repr. 1A: Reproductive toxicity – Category 1A
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
· ***** Data compared to the previous version altered.**

Annex: Exposure scenario 1

· **Short title of the exposure scenario**
Industrial use of lubricants and greases in vehicles or machinery
· **Sector of Use**
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
· **Product category**
PC16 Heat transfer fluids
PC17 Hydraulic fluids
PC24 Lubricants, greases, release products
· **Process category**
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
· **Environmental release category**
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC7 Use of functional fluid at industrial site
· **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
· **Conditions of use**
· **Duration and frequency** 5 workdays/week.
· **Physical parameters**
· **Physical state** Fluid

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2

(Contd. of page 10)

· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Other operational conditions***
· ***Other operational conditions affecting environmental exposure*** *No special measures required.*
· ***Other operational conditions affecting consumer exposure*** *Not required.*
· ***Other operational conditions affecting consumer exposure during the use of the product***
Not applicable.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures*** *No special measures required.*
· ***Technical protective measures*** *No special measures required.*
· ***Personal protective measures*** *No special measures required.*
· ***Measures for consumer protection*** *No special measures required.*
· ***Environmental protection measures***
· ***Air*** *No special measures required.*
· ***Water*** *No special measures required.*
· ***Disposal measures*** *Disposal must be made according to official regulations.*
· ***Disposal procedures*** *Dispose of product residues with household waste.*
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Consumer*** *Not relevant for this Exposure Scenario.*
· ***Guidance for downstream users*** *No further relevant information available.*

Annex: Exposure scenario 2

· ***Short title of the exposure scenario***
Professional use of lubricants and greases in vehicles or machines
· ***Sector of Use***
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
· ***Product category***
PC16 Heat transfer fluids
PC17 Hydraulic fluids
PC24 Lubricants, greases, release products
· ***Process category***
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC20 Use of functional fluids in small devices
· ***Environmental release category***
ERC9a Widespread use of functional fluid (indoor)
ERC9b Widespread use of functional fluid (outdoor)
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use***
· ***Duration and frequency*** *5 workdays/week.*
· ***Physical parameters***
· ***Physical state*** *Fluid*
· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Other operational conditions***
· ***Other operational conditions affecting environmental exposure*** *No special measures required.*
· ***Other operational conditions affecting consumer exposure*** *Not required.*
· ***Other operational conditions affecting consumer exposure during the use of the product***
Not applicable.

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31

Trade name: POWER SYNT 4T SAE 10W/60 JASO MA2

(Contd. of page 11)

· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures*** *No special measures required.*
· ***Technical protective measures*** *No special measures required.*
· ***Personal protective measures*** *No special measures required.*
· ***Measures for consumer protection*** *No special measures required.*
· ***Environmental protection measures***
· ***Air*** *No special measures required.*
· ***Water*** *No special measures required.*
· ***Disposal measures*** *Disposal must be made according to official regulations.*
· ***Disposal procedures*** *Dispose of product residues with household waste.*
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Consumer*** *Not relevant for this Exposure Scenario.*
· ***Guidance for downstream users*** *No further relevant information available.*

Annex: Exposure scenario 3

· ***Short title of the exposure scenario*** *Private use of lubricants and greases in vehicles or machines*
· ***Sector of Use*** *SU21 Consumer uses: Private households / general public / consumers*
· ***Product category*** *PC24 Lubricants, greases, release products*
· ***Environmental release category***
ERC9a Widespread use of functional fluid (indoor)
ERC9b Widespread use of functional fluid (outdoor)
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use***
· ***Duration and frequency*** *5 workdays/week.*
· ***Physical parameters***
· ***Physical state*** *Fluid*
· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Other operational conditions***
· ***Other operational conditions affecting environmental exposure*** *No special measures required.*
· ***Other operational conditions affecting consumer exposure*** *Not required.*
· ***Other operational conditions affecting consumer exposure during the use of the product***
Not applicable.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures*** *No special measures required.*
· ***Technical protective measures*** *No special measures required.*
· ***Personal protective measures*** *No special measures required.*
· ***Measures for consumer protection*** *No special measures required.*
· ***Environmental protection measures***
· ***Air*** *No special measures required.*
· ***Water*** *No special measures required.*
· ***Disposal measures*** *Disposal must be made according to official regulations.*
· ***Disposal procedures*** *Dispose of product residues with household waste.*
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Consumer*** *Not relevant for this Exposure Scenario.*
· ***Guidance for downstream users*** *No further relevant information available.*