MOTOREX Oil of Switzerland

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 1.1 Revision: 08.02.2021

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: TRIAL GEAR OIL 75W**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture**
Gear Oil
Only for proper handling.

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**

MOTOREX AG
Bern–Zürich–Strasse 31, Postfach
CH–4901 Langenthal
Tel. +41 (0)62 919 75 75
www.motorex.com

· **Further information obtainable from:** msds@motorex.com
· **1.4 Emergency telephone number:**
In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the CLP regulation.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008** Void
· **Hazard pictograms** Void
· **Signal word** Void
· **Hazard statements** Void
· **Additional information:**
Contains Magnesium metaborate, Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched). May produce an allergic reaction.
· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**
· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**		
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1, H304	≥70-≤90%
	Mineral oils (mixture) Asp. Tox. 1, H304	≥1-≤2.5%

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 1.1 Revision: 08.02.2021

Trade name: TRIAL GEAR OIL 75W

(Contd. of page 1)

EINECS: 273-103-3	Polysulfides, di-tert-Bu Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥1-<2.5%
EC number: 931-384-6 Reg.nr.: 01-2119493620-38	Reaction products of bis(2-methylpentan-2-yl) dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1, H317	1%

· **Additional information:**
Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.
For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:** Generally the product does not irritate the skin.
· **After eye contact:** Rinse opened eye for several minutes under running water.
· **After swallowing:** If symptoms persist consult doctor.
· **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
· **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
· **5.3 Advice for firefighters**
· **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:**
The recommended storage temperature is (deg.C): ≤ 50°C

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.02.2021 *Version number 1.1* *Revision: 08.02.2021*

Trade name: TRIAL GEAR OIL 75W

(Contd. of page 2)

· ***Storage class:*** *10*
· ***7.3 Specific end use(s)*** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

· ***8.1 Control parameters***
· ***Additional information about design of technical facilities:*** *No further data; see section 7.*
· ***Ingredients with limit values that require monitoring at the workplace:***
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**		
Polysulfides, di-tert-Bu		
Oral	DNEL/general population/Systemic effects/Long-term	0.167 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	3.33 mg/kg/24h (worker)
	DNEL / Workers / Local Effects / Long-term	173.75 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	1.66 mg/kg/24h (consumer)
	DNEL/general population/Local effects/Long-term	86.88 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	14.5 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	2.6 mg/m3 (consumer)
Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)		
Oral	DNEL/general population/Systemic effects/Long-term	0.25 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	12.5 mg/kg/24h (worker)
	DNEL/general pop/Local effects/acute-short term	0.0235 mg/cm2 (consumer)
	DNEL/general population/Systemic effects/Long-term	6.25 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	8.56 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	2.2 mg/m3 (consumer)

· **PNECs**		
Polysulfides, di-tert-Bu		
Oral	PNEC / Predators / Secondary poisoning	6.66 mg/kg food (secondary poisoning (predators))
	PNEC / Aquatic organisms / Freshwater	0.00024-0.063 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Marine water	0.000024-0.0063 mg/l (aquatic organisms)
	PNEC/Aquatic organisms/Sewage treatment plant/STP	4.51-45 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (freshwater)	0.94-94,130 mg/kg (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (marine water)	0.094-9.143 mg/kg (aquatic organisms)
	PNEC / Terrestrial organism / Soil	1,513-311,504 mg/kg (terrestrial organisms)
Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)		
Oral	PNEC / Predators / Secondary poisoning	10 mg/kg food (secondary poisoning (predators))
	PNEC / Aquatic organisms / Freshwater	0.0012 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Marine water	0.00012 mg/l (aquatic organisms)
	PNEC/Aquatic org/intermittent releases(freshwater)	0.085 mg/l (aquatic organisms)

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.02.2021 *Version number 1.1* *Revision: 08.02.2021*

Trade name: TRIAL GEAR OIL 75W

(Contd. of page 3)

	PNEC/Aquatic organisms/Sewage treatment plant/STP	*24.33 mg/l (aquatic organisms)*
	PNEC / Aquatic organisms / Sediment (freshwater)	*14.4 mg/kg (aquatic organisms)*
	PNEC / Aquatic organisms / Sediment (marine water)	*1.44 mg/kg (aquatic organisms)*
	PNEC / Terrestrial organism / Soil	*2.94 mg/kg (terrestrial organisms)*

· ***Additional information:*** *The lists valid during the making were used as basis.*

· ***8.2 Exposure controls***
· ***Personal protective equipment:***
· ***General protective and hygienic measures:***
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
· ***Respiratory protection:***
Not necessary if room is well-ventilated.
Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.
· ***Protection of hands:***
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· ***Penetration time of glove material***
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· ***Eye protection:*** *Goggles recommended during refilling*
· ***Body protection:*** *Protective work clothing*

SECTION 9: Physical and chemical properties

· ***9.1 Information on basic physical and chemical properties***	
· ***General Information***	
· ***Appearance:***	
Form:	*Fluid*
Colour:	*Light yellow*
· ***Odour:***	*Pungent*
· ***Odour threshold:***	*Not determined.*
· ***pH-value:***	*Not determined.*
· ***Change in condition***	
Melting point/freezing point:	*Undetermined.*
Initial boiling point and boiling range:	*Undetermined.*
· ***Pouring point***	*-45 °C*
· ***Flash point:***	*>220 °C*
· ***Flammability (solid, gas):***	*Not applicable.*
· ***Decomposition temperature:***	*Not determined.*
· ***Auto-ignition temperature:***	*Product is not selfigniting.*

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 1.1 Revision: 08.02.2021

Trade name: TRIAL GEAR OIL 75W

(Contd. of page 4)

· **Explosive properties:**	Product does not present an explosion hazard.
· **Explosion limits:**	
Lower:	Not determined.
Upper:	Not determined.
· **Vapour pressure:**	Not determined.
· **Density at 20 °C:**	0.85 g/cm³ (ASTM D 4052)
· **Relative density**	Not determined.
· **Vapour density**	Not determined.
· **Evaporation rate**	Not determined.
· **Solubility in / Miscibility with water:**	Not miscible or difficult to mix.
· **Partition coefficient: n-octanol/water:**	Not determined.
· **Viscosity:**	
Dynamic:	Not determined.
Kinematic:	23.2 mm²/s @ 40 °C
· **9.2 Other information**	No further relevant information available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

· **11.1 Information on toxicological effects**
· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**		
64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic		
Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)
Polysulfides, di-tert-Bu		
Oral	LD0	2,000 mg/kg (rat)
	NOAEL	50-100 mg/kg/24h (rat)
	LOAEL	200-300 mg/kg/24h (rat)

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.02.2021 *Version number 1.1* *Revision: 08.02.2021*

Trade name: TRIAL GEAR OIL 75W

(Contd. of page 5)

Dermal	*LD0*	*2,000 mg/kg (rat)*
Inhalative	*NOAEC*	*196 ppm (rat)*
Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)		
Oral	*LD50*	*2,000 mg/kg (rat)*
	NOEL	*50 mg/kg/24h (rat)*
	NOAEL	*150 mg/kg/24h (rat)*

· ***Primary irritant effect:***
· ***Skin corrosion/irritation*** *Based on available data, the classification criteria are not met.*
· ***Serious eye damage/irritation*** *Based on available data, the classification criteria are not met.*
· ***Respiratory or skin sensitisation*** *Based on available data, the classification criteria are not met.*
· ***Additional toxicological information:***
· ***CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)***
· ***Germ cell mutagenicity*** *Based on available data, the classification criteria are not met.*
· ***Carcinogenicity*** *Based on available data, the classification criteria are not met.*
· ***Reproductive toxicity*** *Based on available data, the classification criteria are not met.*
· ***STOT-single exposure*** *Based on available data, the classification criteria are not met.*
· ***STOT-repeated exposure*** *Based on available data, the classification criteria are not met.*
· ***Aspiration hazard*** *Based on available data, the classification criteria are not met.*

*
SECTION 12: Ecological information

· ***12.1 Toxicity***

· ***Aquatic toxicity:***	
64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic	
LL50	*10,000 mg/l/96h (aquatic invertebrates)*
	100 mg/l/96h (fish)
LL50	*10,000 mg/l/72h (aquatic invertebrates)*
LL50	*10,000 mg/l/48h (aquatic invertebrates)*
LL50	*10,000 mg/l/24h (aquatic invertebrates)*
EL50	*10,000 mg/l/48h (aquatic invertebrates)*
Polysulfides, di-tert-Bu	
LC50	*0.088 mg/l/96h (fish)*
LC0	*0.088 mg/l/96h (fish)*
EC50	*0.299 g/kg/28d (sediment)*
EC50	*0.27 mg/l/24h (aquatic invertebrates)*
EC10	*0.092-0.472 mg/l/72h (algae / cyanobacteria)*
EC50	*0.299-2.45 mg/l/72h (algae / cyanobacteria)*
EC50	*0.24 mg/l/48h (aquatic invertebrates)*
EL50	*63 mg/l/48h (aquatic invertebrates)*
EL50	*100 mg/l/72h (algae / cyanobacteria)*
NOEC	*0.094-0.388 g/kg/28d (sediment)*
NOEC	*0.1 mg/l/72h (algae / cyanobacteria)*
NOEC	*0.088 mg/l/96h (fish)*
NOEC	*45.1 mg/l/28d (microorganisms)*
NOELR	*18 mg/l/48h (aquatic invertebrates)*
Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	
EC50	*2,433 mg/l/3h (microorganisms)*

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 1.1 Revision: 08.02.2021

Trade name: TRIAL GEAR OIL 75W

(Contd. of page 6)

EC50	6.4-15 mg/l/96h (algae / cyanobacteria)
LL50	24 mg/l/96h (fish)
EL50	91.4 mg/l/48h (aquatic invertebrates)
EL50	0.66 mg/l/21d (aquatic invertebrates)
NOEC	1.7-3.3 mg/l/96h (algae / cyanobacteria)
NOELR	3.2 mg/l/96h (fish)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential**	
64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic	
Partition coefficient	>6 [---] (log Kow) (Bioaccumulation)
Polysulfides, di-tert-Bu	
Partition coefficient	5.6 [---] (log Kow) (Bioaccumulation)
Biodegradability	13 % (28d) (Biodegradability) (OECD 301 B)
Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	
Partition coefficient	0.3-7.1 [---] (log Kow) (Bioaccumulation)

· **12.4 Mobility in soil** No further relevant information available.
· **Additional ecological information:**
· **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Contact waste processors for recycling information.

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN-Number**	
· **ADR/RID/ADN, IMDG, IATA**	Void
· **14.2 UN proper shipping name**	
· **ADR/RID/ADN, IMDG, IATA**	Void
· **14.3 Transport hazard class(es)**	
· **ADR/RID/ADN, ADN, IMDG, IATA**	
· **Class**	Void
· **14.4 Packing group**	
· **ADR/RID/ADN, IMDG, IATA**	Void
· **14.5 Environmental hazards:**	Not applicable.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 1.1 Revision: 08.02.2021

Trade name: TRIAL GEAR OIL 75W

(Contd. of page 7)

· **14.6 Special precautions for user**	Not applicable.
· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**	Not applicable.
· **UN "Model Regulation":**	Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.
No special training instructions to ensure protection of human health and environment are required.

· **purity requirement**
· **Relevant phrases**
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

· **Department issuing SDS:** Abteilung Produktsicherheit
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
· *** Data compared to the previous version altered.**

Annex: Exposure scenario 1

· **Short title of the exposure scenario**
Industrial use of lubricants and greases in vehicles or machinery

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

(Contd. of page 8)

· ***Sector of Use***
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
· ***Product category***
PC16 Heat transfer fluids
PC17 Hydraulic fluids
PC24 Lubricants, greases, release products
· ***Process category***
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
· ***Environmental release category***
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC7 Use of functional fluid at industrial site
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use***
· ***Duration and frequency*** *5 workdays/week.*
· ***Physical parameters***
· ***Physical state*** *Fluid*
· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Other operational conditions***
· ***Other operational conditions affecting environmental exposure*** *No special measures required.*
· ***Other operational conditions affecting consumer exposure*** *Not required.*
· ***Other operational conditions affecting consumer exposure during the use of the product***
Not applicable.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures*** *No special measures required.*
· ***Technical protective measures*** *No special measures required.*
· ***Personal protective measures*** *No special measures required.*
· ***Measures for consumer protection*** *No special measures required.*
· ***Environmental protection measures***
· ***Air*** *No special measures required.*
· ***Water*** *No special measures required.*
· ***Disposal measures*** *Ensure that waste is collected and contained.*
· ***Disposal procedures*** *Dispose of product residues with household waste.*
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Consumer*** *Not relevant for this Exposure Scenario.*
· ***Guidance for downstream users*** *No further relevant information available.*

Annex: Exposure scenario 2

· ***Short title of the exposure scenario***
Professional use of lubricants and greases in vehicles or machines
· ***Sector of Use***
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
· ***Product category***
PC16 Heat transfer fluids
PC17 Hydraulic fluids
PC24 Lubricants, greases, release products

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.02.2021 *Version number 1.1* *Revision: 08.02.2021*

Trade name: TRIAL GEAR OIL 75W

(Contd. of page 9)

· ***Process category***
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC20 Use of functional fluids in small devices
· ***Environmental release category***
ERC9a Widespread use of functional fluid (indoor)
ERC9b Widespread use of functional fluid (outdoor)
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use***
· ***Duration and frequency*** *5 workdays/week.*
· ***Physical parameters***
· ***Physical state*** *Fluid*
· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Other operational conditions***
· ***Other operational conditions affecting environmental exposure*** *No special measures required.*
· ***Other operational conditions affecting consumer exposure*** *Not required.*
· ***Other operational conditions affecting consumer exposure during the use of the product***
Not applicable.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures*** *No special measures required.*
· ***Technical protective measures*** *No special measures required.*
· ***Personal protective measures*** *No special measures required.*
· ***Measures for consumer protection*** *No special measures required.*
· ***Environmental protection measures***
· ***Air*** *No special measures required.*
· ***Water*** *No special measures required.*
· ***Disposal measures*** *Ensure that waste is collected and contained.*
· ***Disposal procedures*** *Dispose of product residues with household waste.*
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Consumer*** *Not relevant for this Exposure Scenario.*
· ***Guidance for downstream users*** *No further relevant information available.*

Annex: Exposure scenario 3

· ***Short title of the exposure scenario*** *Private use of lubricants and greases in vehicles or machines*
· ***Sector of Use*** *SU21 Consumer uses: Private households / general public / consumers*
· ***Product category*** *PC24 Lubricants, greases, release products*
· ***Environmental release category***
ERC9a Widespread use of functional fluid (indoor)
ERC9b Widespread use of functional fluid (outdoor)
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use***
· ***Duration and frequency*** *5 workdays/week.*
· ***Physical parameters***
· ***Physical state*** *Fluid*
· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Other operational conditions***
· ***Other operational conditions affecting environmental exposure*** *No special measures required.*
· ***Other operational conditions affecting consumer exposure*** *Not required.*

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.02.2021 *Version number 1.1* *Revision: 08.02.2021*

Trade name: TRIAL GEAR OIL 75W

(Contd. of page 10)

· ***Other operational conditions affecting consumer exposure during the use of the product***
Not applicable.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures*** *No special measures required.*
· ***Technical protective measures*** *No special measures required.*
· ***Personal protective measures*** *No special measures required.*
· ***Measures for consumer protection*** *No special measures required.*
· ***Environmental protection measures***
· ***Air*** *No special measures required.*
· ***Water*** *No special measures required.*
· ***Disposal measures*** *Ensure that waste is collected and contained.*
· ***Disposal procedures*** *Dispose of product residues with household waste.*
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Consumer*** *Not relevant for this Exposure Scenario.*
· ***Guidance for downstream users*** *No further relevant information available.*