

BICKERS
POWERSPORTS

MOTOREX



MOTO LINE

PROFESSIONAL PRODUCTS

TESTED IN RACING, PROVEN IN EVERYDAY LIFE!

Racing is in our DNA and the countless successes in the on and off-road sport are proof of **MOTOREX's** innovative capacity. Developing products that function optimally when pushed to the limit is a challenge that never ceases to excite us as a company. But for **MOTOREX**, the focus is always on the biker!

This means integrating the insights gained from the race tracks into our high quality product line and obtaining the maximum added value.

The two go hand in hand at **MOTOREX**. The results are products born in racing and proven to deliver maximum performance in everyday use.

- 8 MOTOR OILS
- 14 SPECIAL PRODUCTS
- 17 TRANSMISSION OILS
- 19 SUSPENSION OILS
- 21 AIR FILTER MAINTENANCE
- 23 CHAIN CARE
- 25 CLEAN & CARE
- 28 WORKSHOP
- 30 SPRAYS
- 34 ADDITIVES
- 36 BRAKE FLUID
- 37 COOLANT
- 38 RACING LINE
- 41 CONTAINERS
- 42 ACCESSORIES

FACTS & FIGURES


MOTOREX – know-how since 1917

MOTOREX is a major European manufacturer of lubricants. The company's portfolio consists of more than 3000 formulations and is constantly being further developed in collaboration with OEMs, industrial partners, motorsports teams and universities. A high degree of innovation, the flexibility of a family company and a service quality which offers customers genuine added value, all make it possible for **MOTOREX** to survive in global competition with multinationals.

4 Production sites

Langenthal, Switzerland
Ostrowiec, Poland
Brookfield, USA
Toulon, France

400+ Employees



45 000 t
Annual production

13,500,000 l
Tank farm for base oils and additives

3000+
Formulations



VALUES & BENEFITS



Customer-oriented

Our customers are at the heart of all our thoughts and actions. We strive for the highest quality both in our products and in our services, and can thus offer customers lasting benefits.



Innovative and creative

We are full of drive and are eager to seize opportunities and develop new solutions and products. We promote the creativity our employees develop from the collaboration with customers and partners in industry and science and will thus continue to surprise the market with startling innovations.



Long-term profitability

Our corporate group is striving for solid profitability, which will allow it to invest in the sustainable development of our company and thus offer safe, attractive jobs.



Sporting mindset

We're proud of our company. But we are not just satisfied with what we have achieved, because there is always room for improvement. We maintain a sporting team spirit in a strong, Swiss, family business.



Attractive for committed talents

With attractive working conditions, a modern infrastructure and our familybased corporate culture, we are an attractive employer and will continue to recruit committed, talented people to our company.



Conscientious

As part of the global community, we take our social and ecological responsibility seriously. We treat all people equally, regardless of age, gender, religion, sexual orientation, ethnicity or origin. We take on ecological challenges. We contribute to the solution with our products.



Authentic and honest

We maintain a trusting, open and fair relationship with customers, suppliers and partners as well as with our employees.



Reliable

We live and breathe our values, even when the going gets tough. With due diligence and integrity, we live up to the good reputation of our company and the image of the MOTOREX brand.



MORE THAN 3,000 PRODUCTS

MOTOR OILS

Developing motorbikes and their drives is a continuous improvement process, which also has an impact on which motor oil should be used.

We obtain much of our development expertise through our products being used in races. The countless

successes in which we have played a part attest to our expert knowledge time and time again.

To provide an overview of the two-stroke and four-stroke range of products we offer at **MOTOREX**, we categorise our premium motor

oils into Synthetic Blend, Synthetic Performance and Fully Synthetic.

The oils are categorised on the basis of the American Petroleum Institute (API), which has developed criteria for the appropriate categorisation of base oils.



FULLY SYNTHETIC

2 STROKE | 4 STROKE

The basis of **MOTOREX** fully synthetic motor oils are API categories Group IV and Group V, which defines the purely synthetic base. The molecular structure of mineral oil is adopted and can therefore be tailored to achieve the desired characteristics through the best additives possible.

API category: Group IV, Group V



POWER SYNT 4T

- + Racing quality
- + Developed for powerful engines
- + Optimum power delivery

Container	5W/40	10W/50	10W/60
1 l	7300272	7300042	7300092
4 l	7300279	7300049	7300099
20 l	7300274	7300044	7300094
60 l	7300275	7300045	7300095
200 l	7300278	7300048	7300098

Approvals



API SP, SN, SM



CROSS POWER 4T

- + Specially designed for off-road use
- + Developed with racing teams
- + For extreme stress

Container	5W/40	10W/50	10W/60
1 ltr	7300792	7300012	7300782
4 ltr	7300799	7300019	7300789
20 ltr	7300794	7300014	7300784
60 ltr	7300795	7300015	7300785
200 ltr	7300798	7300018	7300788

Approvals



API SP, SN, SM



ATV QUAD RACING 4T

- + Offers perfect protection for the engine
- + Temperature stability for every ride
- + Specially developed for ATVs/ quads

	10W/50
1 ltr	7300282

Approvals



API SP, SN, SM



SCOOTER FORZA 4T

- + Optimal cold starting properties
- + Ideal for stop-and-go situations
- + Customised for scooters

Container	0W/30	5W/40
1 ltr	7300102	7301072
20 ltr	7300104	

Approvals



0W/30: ACEA A5/B5; VW 503 00, 506 00, 506 01

5W/40: API SN, SM, SL



POWER SYNT 2T

- + For optimum power output
- + Reduces combustion residues
- + Use in sporty street motorbikes

Container

1 ltr	7300132
25 ltr	7300134



Approvals



API TC; ISOLEGD



CROSS POWER 2T

- + Only for off-road use
- + For premix and separate lubrication
- + Developed with professional racing teams

Container

1 ltr	7300122
4 ltr	7300129
20 ltr	7300124



Approvals



API TC; ISOLEGD



SCOOTER FORZA 2T

- + Ideal for injection engines
- + High temperature stability
- + Anti-smoke formula

Container

1 ltr	7300162
-------	---------



Approvals



API TC; ISOLEGD
PIAGGIO HEXAGON



TOP SPEED 4T

- + Exceptional performance level
- + For medium and high cubic capacity
- + Suitable for a wide range of applications

Container	5W/40	10W/30	10W/40	15W/50
1 ltr	7301112	7300772	7300022	7300036
4 ltr	7301119	7300779	7300029	7300037
20 ltr	7301114	7300774	7300024	7300038
60 ltr	7301115	7300775	7300025	7300035
200 ltr	7301118	7300778	7300028	7300039

Approvals

5W/40	10W/30	10W/40	15W/50
JASO T 903 - 2016 PERFORMANCE GUARANTEED BY MOTOREX AG	JASO T 903 - 2016 PERFORMANCE GUARANTEED BY MOTOREX AG	JASO T 903 - 2016 PERFORMANCE GUARANTEED BY MOTOREX AG	JASO T 903 - 2016 PERFORMANCE GUARANTEED BY MOTOREX AG

API SP, SN, SM

SYNTHETIC PERFORMANCE

4 STROKE

The Synthetic Performance category, specially developed by **MOTOREX**, uses highly refined hydrocracked oils as a base. The molecular structure was further processed and restructured as part of the development procedure. This enables greater scope regarding additives and thereby creates the optimum basis for focusing on achieving the best possible balance between protection and performance. API category: Group III





SYNTHETIC BLEND

2 STROKE | 4 STROKE

Refined base oils are mixed with “hydrocracked oils” to create the necessary base for the optimal addition of additives for protection against corrosion, wear and oxidation. Treating hydrocracked oils with hydrogen achieves better performance during use. API category: Group I, Group II



FORMULA 4T

- + High level of wear protection
- + Meets many manufacturer specifications
- + High quality with all-round properties

Container	10W/40	10W/50	15W/50	20W/50
1 ltr	7300002	7300182	7300762	7300252
4 ltr	7300009	7300189	7300769	7300259
20 ltr	7300004		7300764	7300254
60 ltr	7300005		7300765	7300255
200 ltr	7300008		7300768	7300258

Approvals

10W/40	10W/50	15W/50	20W/50
MA21MTX309	MA21MTX310	MA21MTX322	MA21MTX311
JASO T 903, 2016 PERFORMANCE IS GUARANTEED BY MOTOREX AG	JASO T 903, 2016 PERFORMANCE IS GUARANTEED BY MOTOREX AG	JASO T 903, 2016 PERFORMANCE IS GUARANTEED BY MOTOREX AG	JASO T 903, 2016 PERFORMANCE IS GUARANTEED BY MOTOREX AG

API SL, SJ, SH, SG



SCOOTER 2T

- + High level of wear protection for cold starts
- + Optimal combustion
- + Very low smoke formation

Container

1 ltr	7300152
4 ltr	7300159

Approvals



API TC; ISOLEGC



FORMULA 2T

- + Minimal combustion residues
- + Especially low smoke
- + All-round quality for many applications

Container

1 ltr	7300112
-------	---------

Approvals



API TC; ISOLEGC



SCOOTER 4T

- + Tested and found suitable for stop-and-go situations
- + Suitable for frequent cold starts
- + Suitable for use at high operating temperatures

Container	5W/40	10W/30	10W/40
1 ltr	7300162	7300142	7300082
20 ltr	-	-	7300084

Approvals

5W/40	10W/30	10W/40
MA21MTX310	MA21MTX312	MA21MTX316
JASO T 903, 2016 PERFORMANCE IS GUARANTEED BY MOTOREX AG	JASO T 903, 2016 PERFORMANCE IS GUARANTEED BY MOTOREX AG	JASO T 903, 2016 PERFORMANCE IS GUARANTEED BY MOTOREX AG

API SL, SJ, SH, SG

Container	10W/40
1 l	7300192

ATV QUAD 4T

- + Quick lubrication of the engine
- + Excellent coldstarting properties
- + Formulated to be pushed to the limit



Approvals



API SL, SJ, SH, SG

SPECIAL PRODUCTS

4 STROKE

Certain requirements of a special engine concept call for special solutions for optimum lubrication. We have made it our mission to take on this challenge and develop our own products for these special requirement profiles. The results are motor oils that are perfectly tailored to the technology and its characteristics!



BOXER 4T

- + Developed for BMW engines
- + Reduces oil consumption
- + Guarantees consistently high oil pressure

Container	5W/40	15W/50
1 ltr	7301102	7301082
4 ltr	7301109	7301089
20 ltr	7301104	7301084
60 ltr	7301105	7301085
200 ltr	7301108	7301088

Approvals



15W/50 BMW aircooled engine –2013

5W/40 BMW watercooled engine 2013+

15W/50: API SJ, SL, SM, SN
5W/40: API SP, SN, SM



V-SYNT 4T 15W/50

- + Fully synthetic motor oil for high volume V2 and V4 engines
- + Meets JASO MA2 standard
- + Suitable for HARLEY DAVIDSON, Revolution Max and DUCATI engines

Container

1 ltr	7300839
4 ltr	7300840
20 ltr	7300841
60 ltr	7300842
200 ltr	7300843

Approvals

API SP, SN, SM



V-SYNT 4T 20W/50

- + Fully synthetic motor oil for high volume TWIN engines
- + Meets JASO MA2 standard
- + Suitable for Harley Davidson engines

Container

1 ltr	7300844
4 ltr	7300845
20 ltr	7300846
60 ltr	7300847
200 ltr	7300848

Approvals

API SP, SN, SM



LEGEND 4T

- + Also ideal for air-cooled engines
- + For high capacity two-cylinder engines
- + High temperature stability

Container 20W/50

1 ltr	7300052
20 ltr	7300054
60 ltr	7300055
200 ltr	7300058

Approvals

API SL, SJ, SH, SG



KTM RACING 4T

- + Developed in collaboration with KTM
- + Recommended by KTM Customer Racing
- + Tested under racing conditions

Container 20W/60

1 ltr	7300072
4 ltr	7300077

Approvals

Developed for KTM Race Engines: MX, SM, RALLY, ENDURO, all 4TEngines



FOUR STROKE 4T

MOTOREX FOUR STROKE 4T is a semi-synthetic shear stable synthetic blend motor oil for four-stroke motorcycles and scooters. It is suitable for a wide range of motorcycles without special requirements. Please always observe the manufacturers specifications regarding viscosity and oil quality.

- + Stable lubricating film
- + Temperature stable
- + Shear stable (stays-in-grade) (JASO MA2 approval)

Container	5W/40	10W/30	10W/40	15W/50	20W/50
1 ltr	7300822	7300830	7300742	7301092	7301052
4 ltr	7300829	7300831	7300749	7301099	7301059
20 ltr	7300824	7300832	7300744	7301094	7301054
60 ltr	7300825		7300745	7301095	7301055
200 ltr	7300828	7300834	7300748	7301098	7301058

Approvals

 JASO T 901: 2016 PERFORMANCE IS GUARANTEED by MOTOREX AG	5W/40	 JASO T 901: 2016 PERFORMANCE IS GUARANTEED by MOTOREX AG	10W/30
 JASO T 901: 2016 PERFORMANCE IS GUARANTEED by MOTOREX AG	10W/40	 JASO T 901: 2016 PERFORMANCE IS GUARANTEED by MOTOREX AG	15W/50
 JASO T 901: 2016 PERFORMANCE IS GUARANTEED by MOTOREX AG	20W/50		



TWO STROKE 2T

Semi-Synthetic 2-stroke engine oil for light motorcycles, where no specific oil has been specified

- + Low smoke formula
- + For pre-mix and separate lubrication

Container	
1 ltr	7300692

Approvals




Jaso FC - 041MOX001

MOTOR OILS



	SAE	1l	4l	20l	25l	60l	200l	JASO	API	ISO
FULLY SYNTHETIC										
POWER SYNT 4T	5W/40	•	•	•		•	•	JASO MA2	SP, SN, SM	
POWER SYNT 4T	10W/50	•	•	•		•	•	JASO MA2	SP, SN, SM	
POWER SYNT 4T	10W/60	•	•	•		•	•	JASO MA2	SP, SN, SM	
CROSS POWER 4T	5W/40	•	•	•		•	•	JASO MA2	SP, SN, SM	
CROSS POWER 4T	10W/50	•	•	•		•	•	JASO MA2	SP, SN, SM	
CROSS POWER 4T	10W/60	•	•	•		•	•	JASO MA2	SP, SN, SM	
ATV QUAD RACING 4T	10W/50	•		•		•	•	JASO MA2	SP, SN, SM	
SCOOTER FORZA 4T	0W/30	•		•		•			VWNORM	
SCOOTER FORZA 4T	5W/40	•		•		•	•	JASO MA	SN, SM, SL	
POWER SYNT 2T		•		•		•		JASO FD	TC	LEGD
CROSS POWER 2T		•	•	•		•	•	JASO FD	TC	LEGD
SCOOTER FORZA 2T		•			•	•	•	JASO FD	TC	LEGD
SYNTHETIC PERFORMANCE										
TOP SPEED 4T	5W/40	•	•	•		•	•	JASO MA2	SP, SN, SM	
TOP SPEED 4T	10W/30	•	•	•		•	•	JASO MA2	SP, SN, SM	
TOP SPEED 4T	10W/40	•	•	•		•	•	JASO MA2	SP, SN, SM	
TOP SPEED 4T	15W/50	•	•	•		•	•	JASO MA2	SP, SN, SM	
SYNTHETIC BLEND										
FORMULA 4T	10W/40	•	•	•		•	•	JASO MA2	SL, SJ, SH, SG	
FORMULA 4T	10W/50	•	•	•		•	•	JASO MA2	SL, SJ, SH, SG	
FORMULA 4T	15W/50	•	•	•		•	•	JASO MA2	SL, SJ, SH, SG	
FORMULA HD 4T	20W/50	•	•	•		•	•	JASO MA2	SL, SJ, SH, SG	
ATV QUAD 4T	10W/40	•		•		•		JASO MA2	SL, SJ, SH, SG	
SCOOTER 4T	5W/40	•		•				JASO MB	SL, SJ, SH, SG	
SCOOTER 4T	10W/30	•		•		•		JASO MB	SL, SJ, SH, SG	
SCOOTER 4T	10W/40	•		•		•	•	JASO MA2	SL, SJ, SH, SG	
FORMULA 2T		•		•		•		JASO FD	TC	LEGC
SCOOTER 2T		•	•	•		•	•	JASO FD	TC	LEGC
PERFORMANCE LEVEL										
LEGEND 4T	20W/50	•		•		•	•		SL, SJ, SH, SG	
V-SYNT 4T	15W/50	•		•		•	•	JASO MA2	SP, SN, SM	
V-SYNT 4T	20W/50	•		•		•	•	JASO MA2	SP, SN, SM	
PERFORMANCE LEVEL										
KTM RACING 4T	20W/60	•	•	•						
BOXER 4T	5W/40	•	•	•		•	•	JASO MA2	SP, SN, SM	
BOXER 4T	15W/50	•	•	•		•	•	JASO MA2	SN, SM, SL, SJ	
FOUR STROKE/TWO STROKE										
FOUR STROKE 4T	5W/40	•	•	•		•	•			
FOUR STROKE 4T	10W/30	•	•	•			•			
FOUR STROKE 4T	10W/40	•	•	•		•	•			
FOUR STROKE 4T	15W/50	•	•	•		•	•			
FOUR STROKE 4T	20W/50	•	•	•		•	•			
TWO STROKE 2T		•						JASO FD	TC	LEGC
PERFORMANCE LEVEL										
RACING PRO 4T	0W/40	•	•	•						
RACING PRO 4T	5W/30	•	•	•						
RACING PRO 4T CROSS	10W/40									
RACING PRO 4T	15W/50	•	•	•			•			



TRANSMISSION OILS

Different types of transmission and the associated special requirements demand lubricants that ensure optimum gear shifts even under extreme conditions. Four-cylinder, high-performance engines for which rapid gear changes at very high speeds are normal or one-cylinder TRIAL machines that are subjected to a different but also very extreme gear-changing situation: these are two special examples that give good reason for the variety of products offered. Specially designed transmission oils make all the difference, from a scooter to a cruiser.



- GEAR OIL 10W/30
- + Specially developed for motorbikes
 - + Minimal formation of foam
 - + Optimum lubricating reliability

Container	10W/30
1 ltr	7300212
4 ltr	7300213
25 ltr	7300214

Approvals

API GL4
= 80W/85



- GEAR OIL HYPOID 80W/90
- + For lubricating cardan shafts and gearboxes
 - + High resistance to ageing
 - + Very good level of water separation

Container	80W/90
1 ltr	7300202
4 ltr	7300203
25 ltr	7300204

Approvals

API GL5



TRIAL GEAR OIL

- + Fully synthetic special gear oil
- + Particularly sensitive and smooth
- + Very high level of wear protection

Container

1 ltr	7300232
25 ltr	7300234

Approvals

API GL4



PRISMA ZX

- + For standard cardanshaft and hypoid drives
- + Exceptional thermal behaviour
- + Excellent shear stability

Container 75W/90

1 ltr	7300262
4 ltr	7300269
25 ltr	7300264

Approvals

API GL4, GL5



ATF DEXRON III

- + Specially developed for automatic transmissions
- + Very good lowtemperature properties
- + Broad range of applications

Container

1 ltr	7300245
4 ltr	7300246



SCOOTER GEAR OIL ZX

- + For continuous drive
- + Optimal for stopandgo
- + Exceptional resistance to ageing

Container 80W/90

130 ml	7300170
--------	---------

Approvals

API GL4, GL5



RACING FORK OIL

- + Minimises coefficient of friction
- + Optimum air release
- + Reduced formation of foam

Container	2.5W 14.5cst	4W 16.0cst	5W 22.9cst	7.5W 34.5cst	10W 49.5cst	15W 72.0cst
250 ml	7300330	7300380	7300340	7300350	7300360	7300370
1 ltr	7300332	7300382	7300342	7300352	7300362	7300372
20 ltr	7300334	7300384	7300344	7300354	7300364	7300374



SUSPENSION OILS

Overall driving performance on a wide range of surfaces is fundamentally influenced by the suspension. Because of this, suspension oil needs to be incredibly effective. The extremely large jumps made by dirt bikes are just as much a source of intense stress as the unbelievably fast, small movements made by a racing motorbike. And in between the two, there is a whole host of motorbikes with a wide range of applications. The suspension continuously compensates for everything between the motorcycle and surface. The fact that it needs a specially developed suspension oil to do this goes without saying.



RACING SHOCK OIL 3D RESPONSE TECHNOLOGY

- + Developed for high thermal loads
- + Improved initial breakaway torque
- + Very fast air release

Container	14.8cst
1 l	7300294



RACING SD1 SHOCK OIL

- + Excellent damping characteristics
- + High level of wear protection
- + Resists ageing

Container	15.0cst
5 l	7300293



AIR FILTER MAINTENANCE

The finest sand or clumps of mud – the air filter of a motorbike needs to do a good job to protect the engine from the smallest dirt particles. So that air can pass through the filter freely at any time, cleaning and maintaining the filter requires particular attention. All of our experience, which **MOTOREX** has also gained through collaborating with international racing teams and leading companies in the motorcycle industry, is reflected in our care and cleaning products for foam air filters.



AIR FILTER

- + Developed in collaboration with a renowned European manufacturer
- + Original quality
- + For a variety of models



AIR FILTER CLEANER

- + Biodegradable
- + Incombustible
- + Solvent free

Container

1 ltr	7300472
4 ltr	7300473



AIR FILTER OIL 206

- + Optimal air flow
- + Very adhesive
- + Increases the service life of the motorbike

Container

1 ltr	7300462
5 ltr	7300463



AIR FILTER OIL SPRAY

- + Perfect dispensing
- + Easy to use
- + Prevents the penetration of dust etc.

Container

750 ml	7300456
--------	---------



AIR FILTER CLEANING KIT

- + For professional care
- + Complete maintenance kit
- + Illustrated instructions available

Container

Kit	7300480
-----	---------



CHAIN CARE

Regularly cleaning the chain is essential for a long service life and optimum performance. Because the applications of different motorcycle categories are so varied, special lubricants are also needed for the chain. Whether off-road, racing or a long trip – the demands are so different that the right oil is crucial to the longevity of the chain.




CHAIN CLEAN DEGREASER

- + Highly effective chain cleaner
- + Removes stubborn dirt
- + For all chain types (X/Oring etc.)

Container

500 ml	7300435
--------	---------



CHAINLUBE ADVENTURE

- + Low dirt adhesion
- + Extremely adhesive
- + Resistant to high pressure

Container

200 ml	7300390
500 ml	7300395



CHAINLUBE RACING

- + Contains PTFE
- + Reduces wear
- + Thermostable

Container

56 ml	7300420
500 ml	7300425



CHAINLUBE ROAD STRONG

- + Water and centrifugeresistant
- + Specially developed for motorbikes used on the road
- + Extremely adhesive lubricating film

Container

56 ml	7300410
500 ml	7300415



CHAINLUBE OFF ROAD

- + Fully synthetic chain lubricant
- + For motocross, enduro and off-road
- + Very low dirt adhesion

Container

56 ml	7300400
500 ml	7300405



MOTO CLEAN PLUS

- + Also works upside down
- + Intensive cleaning effect
- + Ready to use but can also be mixed with water

Container

1 ltr	7300605
5 ltr	7300603



MOTO CLEAN UNIVERSAL

- + Biodegradable universal motorbike cleaner
- + Spray head with three functions
- + Ready to use but can also be mixed with water

Container

1 ltr	7300601
5 ltr	7300602



- MOTO CLEANING KIT**
- + Practical 8litre bucket
 - + Two cleaning products in the kit
 - + Includes microfiber cloth and sponge

Kit	7300606
-----	---------



- VISO CLEAN**
- + Dissolves dirt quickly and effectively
 - + Ideal for on thego
 - + Also suitable for windscreens and headlights etc.

Container	
Six-pack	7300641
Box of 12 packs (72 wipes)	7300640



- HELMET & GEAR CARE**
- + Cleaning and care foam
 - + For helmet shells and internal padding
 - + Deodorises and freshens up colours

Container	
200 ml	7300630



- QUICK CLEANER**
- + Removes stubborn dirt
 - + Anti-static with beading effect
 - + Quick and easy cleaning

Container	
60 ml	7300609
500 ml	7300610



- MOTO SHINE MS1**
- + Gloss spray with colour enhancer
 - + With beading effect
 - + Has an anti-static effect

Container	
500 ml	7300623



- MOTO PROTECT**
- + Care and protection spray
 - + Preserves during long periods of downtime
 - + Protects against corrosion, dust and dirt

Container	
500 ml	7300615



- PROTEX SPRAY**
- + Special impregnating spray
 - + Preserves natural breathability
 - + For textile and leather clothing, shoes etc.

Container	
500 ml	7300645

WORKSHOP

The range of **MOTOREX** workshop products is very extensive. Customers can therefore choose from an enormous product line and get everything they need from a single source. Special cleaners, greases for every application or customised supply systems. Mechanical work often involves challenges that require a special solution. The **MOTOREX** range has everything you need: by experts for experts!



TYRE MOUNTING FLUID

- + Quickdrying and economical tyre mounting fluid
- + Tested with tyre pressure monitoring systems (TPMS)
- + Does not leave any visible residues after mounting

Container

100 ml	7300548
1 ltr	7300810



CARBURETOR CLEAN FLUID

- + Special cleaning agent for carburettors
- + Removes residues and contamination
- + Ideal for inspections

Container

1 ltr	7300526
-------	---------



COPPER PASTE

- + Stops threaded bolts and nuts from seizing up
- + Excellent high pressure properties even during slow movements

Container

100 g	7300577
850 g	7300578



WHITE GREASE (FETT 628)

- + White lithium grease
- + High level of wear protection
- + For roller bearings and slide bearings

Container

100 g	7300584
850 g	7300583



BIKE GREASE (FETT 2000)

- + Water resistant even against salt water
- + Excellent pressure absorption capacity
- + Very good adhesion

Container

100 g	7300596
400 g	7300597
850 g	7300598

SPRAYS

The wide range of **MOTOREX** Hi-Tech Sprays shows just how many different sprays can be used for repair and maintenance work. If you take a closer look and consider the corresponding application of each product, it is clear that none of them should be missing from a wellstocked workshop. Because it does not matter what needs to be repaired or replaced, the right spray can make all the difference.



ANTIRUST SPRAY

- + Rust remover and screw releaser
- + Exceptional creep effect
- + Protects against corrosion

Container Spray

500 ml	7300595
--------	---------



CARBURETTOR CLEAN

- + Suitable for all types of carburettor
- + Intensive cleaning effect
- + For two- and four-stroke engines

Container Spray

500 ml	7300525
--------	---------



COPPER SPRAY

- + Copper spray
- + Stops parts subject to high thermal stress from sticking
- + Extremely good thermal stability

Container Spray

300 ml	7300565
--------	---------



GREASE SPRAY

- + Viscous grease spray
- + Good adhesive power
- + Good corrosion and wear protection

Container Spray

500 ml	7300546
--------	---------



ACCU PROTECT

- + Protects battery terminal posts, pole terminals, connectors and starter connection cables
- + Prevents corrosion and oxidation
- + Very good adhesion

Container Spray

200 ml	7300500
--------	---------



INTACT MX 50 SPRAY

- + Lubricating and corrosion protection spray
- + Repels and prevents penetration of water
- + Highly effective protective film

Container Spray	
500 ml	7300492



SILICONE SPRAY

- + Lubricant, maintenance product and protecting agent for rubber, plastic and all metal parts
- + Anti-static
- + Water repelling

Container Spray	
500 ml	7300485



JOKER 440 SYNTHETIC

- + Universal lubricating and corrosion protection spray
- + Prevents penetration of water
- + Dielectric

Container Spray	
500 ml	7300491



POWER CLEAN

- + Cleans and degreases in the case of stubborn dirt
- + Silicone free
- + Dielectric

Container Spray	
500 ml	7300515



SPRAY WITH PTFE

- + Dry-film lubricant
- + Can be used as a lubricant and release agent
- + Water-resistant and temperature-stable

Container Spray	
200 ml	7300486



SPRAY 2000

- + Fully synthetic, high-pressure resistant adhesive lubricant
- + Universal use
- + Corrosion protection

Container Spray	
500 ml	7300545



POWER BRAKE CLEAN

- + Removes grease and cleans without leaving residue
- + High pressure
- + Silicone free

Container Spray	
750 ml	7300536



ALSO AVAILABLE

Various workshop sprays, Oil Spray, Zinc Spray, Silver Spray, Black Spray and more. Ask for our spray brochure.

ADDITIVES

Additives can be used to solve problems or as a preventative measure. For example, using additives in the right way can help dissolve residue in the fuel system, absorb moisture in the fuel tank and much more besides. **MOTOREX** additives have been tested in a catalytic converter, making them effective in increasing the motorcycle's service life.



- SYSTEM GUARD**
- + Protects and cleans the system
 - + Prevents corrosion
 - + Binds water

Container	
125 ml	7300550



- FUEL STABILIZER**
- + Protects fuel from oxidation
 - + Long-lasting effect
 - + Conserves fuel

Container FUEL STABILIZER	
125 ml	7300560
250 ml	7300561

Container FUEL STABILIZER PLUS	
10 ml	7300562



- ETHANOL TREATMENT**
- + Reduces phase separation
 - + Removes residue in the combustion chamber
 - + Regenerates old fuel

Container	
250 ml	7300555

BRAKE FLUID

Brake systems are vital for your safety! For this reason, the right brake fluid is essential. Viscosity and dry and wet boiling points are important factors. With **MOTOREX** you're sure to find an effective brake fluid you can count on.

COOLANT

Cooling systems rely on thermal energy being transported efficiently and on the system being protected during longer periods of use. This process also takes place with different loads and temperature conditions. Thanks to **MOTOREX**'s wide range of products, we have just the solution for your application.



BRAKE FLUID DOT 4

- + Good wet boiling point
- + Also ideal for the latest ABS and ADS systems
- + High safety reserve against vapour lock

Container

250 ml	7300227
1 ltr	7300222
5 ltr	7300223



BRAKE FLUID DOT 5.1

- + Low viscosity, high performance brake fluid
- + Increased wet boiling point
- + Increased safety reserve against vapour lock

Container

250 ml	7300237
1 ltr	7300239
5 ltr	7300238



RACING BRAKE FLUID

- + High-performance brake fluid
- + Exceptionally high wet boiling point
- + For high thermal loads

Container

500 ml	7300236
--------	---------



HYDRAULIC FLUID 75

- + For hydraulic clutch systems
- + Excellent seal compatibility
- + Not hygroscopic

Container

250 ml	7300250
1 ltr	7300251



COOLANT M3.0 (OAT-TECHNOLOGY)

- + Silicate free
- + Very good corrosion protection

Container READY TO USE

1 ltr	7300447
4 ltr	7300449
20 ltr	7300448



COOLANT M4.0 RTU

- + Excellent corrosion protection
- + Excellent compatibility with commercially available seals, hoses, elastomers and plastics
- + Nitrite, phosphate, boron and amine free

Container READY TO USE

2 ltr	7300452
4 ltr	7300450



COOLANT M5.0 (HYBRID-TECHNOLOGY)

- + Contains silicate
- + Also suitable for older vehicles
- + Turquoise

Container READY TO USE

1 ltr	7300442
20 ltr	7300444

RACING LINE

DEVELOPED BY MOTOREX RACING LAB

The **MOTOREX** Racing Lab is responsible for developing and providing racing teams with hi-tech lubricants that meet all of their needs along with **MOTOREX** support. Racing generally places the highest demands on teams, drivers and equipment. As a part of these teams, the **MOTOREX** Racing Lab has established itself as one of the most important destinations for special developments in recent years.



RACING PRO 4T CROSS 10W/40

- + Specially developed for fourstroke motocross motorbikes
- + Very high level of wear protection
- + Suitable for extreme racing conditions

Container	10W/40
1 ltr	7300699
4 ltr	7300700
25 ltr	7300701



RACING GEAR OIL 10W/40

- + Excellent pressure resistance
- + Reduces clutch wear
- + Withstands the highest racing stresses

Container	10W/40
1 ltr	7300752



RACING FORK OIL

- + Minimises coefficient of friction
- + Optimum air release
- + Reduced formation of foam

Container	2.5W 14.5cst	4W 16.0cst	5W 22.9cst	7.5W 34.5cst	10W 49.5cst	15W 72.0cst
250 ml	7300330	7300380	7300340	7300350	7300360	7300370
1 ltr	7300332	7300382	7300342	7300352	7300362	7300372
20 ltr	7300334	7300384	7300344	7300354	7300364	7300374



RACING SHOCK OIL

- + Developed for high thermal loads
- + Improved initial breakaway torque
- + Very fast air release

Container	14.8cst
1 l	7300294



RACING PRO 4T 0W/40

- + Motor oil developed with racing teams
- + Perfect lubricating properties
- + Optimal wear protection

Container	0W/40
1 ltr	7300722
4 ltr	7300729
25 ltr	7300724



RACING PRO 4T 15W/50

- + Special product for use in races
- + Tested and suitable for endurance racing
- + High temperature stability

Container	15W/50
1 ltr	7300732
4 ltr	7300730
25 ltr	7300731



RACING BIO AIR FILTER CLEANER

- + Special cleaner in powder form
- + Biodegradable
- + Developed with TWIN AIR

Container

1 ltr 7300712



RACING BIO AIR FILTER OIL

- + Biodegradable
- + Optimum air supply during races
- + Developed with TWIN AIR

Container

1 ltr 7300702



RACING BRAKE FLUID

- + High-performance brake fluid
- + Exceptionally high wet boiling point
- + For high thermal loads

Container

500 ml 7300236



BIODEGRADABLE

Biodegradable means that a product can be broken down by microorganisms.

Biodegradable products with the OECD test series301(AF) label biodegrade completely and rapidly under natural conditions with oxygen. The designation OECD 301 B provides information regarding which procedure/test is used to measure biodegradability. It is used for nonvolatile substances with low water-solubility and indicates products that have biodegraded by more than 60% in 28 days.

Water-soluble, non-volatile, filterable substances that are or are potentially biodegradable pass the OECD 302 test.

CONTAINERS



200 l



60 l



20 l



5 l



5 l



4 l / 5 l



2 l



1 l



1 l



1 l



1 l



1 l



1 l



850 g



750 ml / 500 ml / 300 ml
200 ml / 56 ml



500 ml



500 ml



250 ml



200 ml



125 ml / 250 ml



130 ml



60 ml



100 g



Grease Gun



MOTOREX



BICKERS
POWERSPORTS

Carr Road, Felixstowe, Suffolk IP11 3RX

T: 01394 604040

E: sales@bickerspowersports.co.uk

W: www.bickerspowersports.com
www.bickers-online.co.uk



motorex.com